



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(Untabulated).

BRAZIL—*Pernambuco*.—Month of December, 1911. Population 225,000. Total number of deaths from all causes 690, including diphtheria 1, measles 1, plague 1, smallpox 141, tuberculosis 113, typhoid fever 8.

FRANCE—*Roubaix*.—Month of December, 1911. Population, 122,154. Total number of deaths from all causes 156, including diphtheria 1, scarlet fever 1, tuberculosis 22, typhoid fever 1.

St. Etienne.—Two weeks ended December 31, 1911. Population, 150,000. Total number of deaths from all causes 118, including diphtheria 1, scarlet fever 1, tuberculosis 21, typhoid fever 1.

GREAT BRITAIN.—Week ended December 30, 1911.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 15.8 per 1,000 of the population, which is estimated at 16,157,797.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 18 per 1,000 of the population, which is estimated at 1,149,495. The lowest rate was recorded at Waterford, viz, 7.6, and the highest at Newtownards, viz, 22.9, per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 17.3 per 1,000 of the population, which is estimated at 1,710,291. The lowest rate was recorded at Leith, viz, 9.1, and the highest at Aberdeen, viz, 24.9, per 1,000. The total number of deaths from all causes was 568, including diphtheria 17, measles 26, scarlet fever 4, typhoid fever 2.

ITALY—*Florence*.—Month of November, 1911. Population, 232,860. Total number of deaths from all causes 307, including measles 1, tuberculosis 42, typhoid fever 12.

Genoa.—Two weeks ended December 31, 1911. Population, 272,077. Total number of deaths from all causes 273, including tuberculosis 26, typhoid fever 3.

JAMAICA—*Kingston*.—Month of December, 1911. Population, 52,000. Total number of deaths from all causes 154, including tuberculosis 10, typhoid fever 4.

RUSSIA—*Libau*.—Four weeks ended December 13, 1911. Population, 90,000. Total number of deaths from all causes not reported. The deaths include diphtheria 5, scarlet fever 8, typhoid fever 2.

SIAM—*Bangkok*.—Four weeks ended December 2, 1911. Population, 600,000. Total number of deaths from all causes not reported. The deaths include cholera 149, plague 2, smallpox 185.

SPAIN—*Almeria*.—Month of December, 1911. Population, 50,910. Total number of deaths from all causes 110, including diphtheria 1, tuberculosis 11, typhoid fever 2.

Madrid.—Month of December, 1911. Population, 584,117. Total number of deaths from all causes 1,225, including diphtheria 22, measles 10, scarlet fever 1, smallpox 1, tuberculosis 153.

Malaga.—Month of November, 1911. Population, 133,000. Total number of deaths from all causes 345, including diphtheria 4, measles 4, smallpox 45, tuberculosis 21.

Seville.—Month of December, 1911. Population, 158,235. Total number of deaths from all causes 411, including diphtheria 8, smallpox 5, tuberculosis 57.

TAHITI.—Two weeks ended December 22, 1911. Population, 4,000. Total number of deaths from all causes 3. No contagious disease.

VENEZUELA—La Guaira.—Two weeks ended December 31, 1911. Population, 10,000. Total number of deaths from all causes 20, including tuberculosis 3.

By authority of the Secretary of the Treasury.

RUPERT BLUE,

Surgeon General,

United States Public Health and Marine-Hospital Service.

THIS PUBLICATION may be procured from the Superintendent of Documents, Government Printing Office Washington, D. C., at 5 cents a copy

Subscription price for the year \$2

